

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(transform\$5 or translat\$3 or convert\$3 or conversion) near3 cobol and (business near3 logic) and (generat\$3 or creat\$3 or form\$3 or group\$3 or produc\$4) near3 handler same (event or state or status or condition\$4 or information or value or statement or tag\$4 or group\$3 or set\$4 or list\$3 or packag\$3 or identify\$3 or identification or "event handler")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 15:19
L2	1	(transform\$5 or translat\$3 or convert\$3 or conversion or map\$4) near3 cobol and (business near3 logic) and (generat\$3 or creat\$3 or form\$3 or group\$3 or produc\$4) near3 handler same (event or state or status or condition\$4 or information or value or statement or tag\$4 or group\$3 or set\$4 or list\$3 or packag\$3 or identify\$3 or identification or "event handler")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 15:21
L3	6	(transform\$5 or translat\$3 or convert\$3 or conversion or map\$4) near3 cobol and (generat\$3 or creat\$3 or form\$3 or group\$3 or produc\$4) near3 (handler or "event handler") same (event or state or status or condition\$4 or information or value or statement or tag\$4 or group\$3 or set\$4 or list\$3 or packag\$3 or identify\$3 or identification or "event handler")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 15:30
L4	6	(transform\$5 or translat\$3 or convert\$3 or conversion or map\$4) near3 (legacy or cobol) and (generat\$3 or creat\$3 or form\$3 or group\$3 or produc\$4) near3 (handler or "event handler") same (event or state or status or condition\$4 or information or value or statement or tag\$4 or group\$3 or set\$4 or list\$3 or packag\$3 or identify\$3 or identification or "event handler") and cobol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 15:32

EAST Search History

L5	6	(transform\$5 or translat\$3 or convert\$3 or conversion or map\$4) near5 (legacy or cobol) and (generat\$3 or creat\$3 or form\$3 or group\$3 or produc\$4) near3 (handler or "event handler") same (event or state or status or condition\$4 or information or value or statement or tag\$4 or group\$3 or set\$4 or list\$3 or packag\$3 or identify\$3 or identification or "event handler") and cobol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 15:32
L6	32	(transform\$5 or translat\$3 or convert\$3 or conversion or map\$4) same (legacy or cobol) and (generat\$3 or creat\$3 or form\$3 or group\$3 or produc\$4) near5 (handler or "event handler") same (event or state or status or condition\$4 or information or value or statement or tag\$4 or group\$3 or set\$4 or list\$3 or packag\$3 or identify\$3 or identification or "event handler") and cobol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 15:33
L7	26	l6 not l5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 15:33
S1	575	717/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 14:10
S2	108	717/117.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 14:10
S3	566	717/136.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 14:10
S4	1528	(legacy or cobol) and (conditional or boolean or predicate) and (action or event) and (relat\$7 or associat\$3 or map\$4 or group\$3) and (tag\$4 or annotat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:19

EAST Search History

S5	175	717/???.ccls. and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:14
S6	97	717/???.ccls. and S4 and (extract\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:14
S7	61	717/???.ccls. and S4 and (extract\$3) and (business or enterprise)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:14
S8	82	717/???.ccls. and (legacy or cobol) and (conditional or boolean or predicate) and (action or event) and (relat\$7 or associat\$3 or map\$4 or group\$3) and (tag\$4 or annotat\$3 or identifier) and (extract\$3) and (business or enterprise)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:16
S9	958	(conditional or boolean or predicate)same (tag\$4 or annotat\$3 or identifier) and (extract\$3) and (business or enterprise)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:16
S10	76	(conditional or boolean or predicate)same (tag\$4 or annotat\$3 or identifier) and (extract\$3) and (business or enterprise) and 717/???. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:16
S11	16	S8 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:16
S12	1509	(legacy or cobol) and (reuse or compatib\$5) and (conditional or boolean or predicate) and (action or event) and (relat\$7 or associat\$3 or map\$4 or group\$3) and (tag\$4 or annotat\$3 or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:19
S13	330	(legacy or cobol) same (reuse or compatib\$5) and (conditional or boolean or predicate) and (action or event) and (relat\$7 or associat\$3 or map\$4 or group\$3) and (tag\$4 or annotat\$3 or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:20

EAST Search History

S14	1108	(legacy or cobol) same (reuse or compatib\$5) and (business or enterprise)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:20
S15	30	(legacy or cobol) same (reuse or compatib\$5) and (conditional or boolean or predicate) and (action or event) and (relat\$7 or associat\$3 or map\$4 or group\$3) and (tag\$4 or annotat\$3 or identifier) and 717/???. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:34
S16	0	(cobol) same (reuse or compatib\$5 or extract\$3) and identify\$3 near5 (conditional or boolean or predicate) and identify\$3 near5 (action or event)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:39
S17	126	(reuse or compatib\$5 or extract\$3) and identify\$3 near5 (conditional or boolean or predicate) and identify\$3 near5 (action or event)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:54
S18	3238	conditional near3 (statement or instruction) same (annotat\$4 or group\$3 or tag\$4 or select\$3 or determin\$5) and (asociat\$4 or action or event or function or procedure or method) same (associat\$3 or annotat\$4 or group\$3 or tag\$4 or select\$3 or determin\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:56
S19	362	conditional near3 (statement or instruction) same (annotat\$4 or group\$3 or tag\$4 or select\$3 or determin\$5) and (asociat\$4 or action or event or function or procedure or method) same (associat\$3 or annotat\$4 or group\$3 or tag\$4 or select\$3 or determin\$5) and (legacy nera3 reuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:59
S20	24	conditional near3 (statement or instruction) same (annotat\$4 or group\$3 or tag\$4 or select\$3 or determin\$5) and (asociat\$4 or action or event or function or procedure or method) same (associat\$3 or annotat\$4 or group\$3 or tag\$4 or select\$3 or determin\$5) and (legacy nera3 reuse) and (group\$3 near5 condition\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 15:08

EAST Search History

S21	1	convert\$3 near5 cobol and conditional near3 (statement or instruction) same (annotat\$4 or group\$3 or tag\$4 or select\$3 or determin\$5) and (asociat\$4 or action or event or function or procedure or method) same (associat\$3 or annotat\$4 or group\$3 or tag\$4 or select\$3 or determin\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 15:09
S22	5	convert\$3 near5 cobol and conditional near3 (statement or instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 15:12
S23	1	(convert\$3 or transform\$3) near5 cobol and ((information or metadata) near3 (condition\$2 or predicate)) same (statement or instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 15:15
S24	18	(convert\$3 or transform\$3) near5 cobol and ((information or metadata) near3 (condition\$2 or predicate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 15:40
S25	8	("5742827").URPN.	USPAT	OR	OFF	2006/10/02 15:38
S26	2810259	(convert\$3 or transform\$3) near5 cobol (condition\$2 or predicate) and (action or event or procedure or function or method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 15:41
S27	311	717/143.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 15:41
S28	162	717/143.ccls. and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 15:44
S29	44	extract\$3 near5 "business logic"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 15:46
S30	5	extract\$3 near5 "business logic" and cobol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 15:47

EAST Search History

S31	17	extract\$3.near5 "business logic" and legacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 15:47
S32	12	S31 not S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 16:01
S33	7	"6199068" and cobol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 16:02
S34	0	"6199068.pn." and cobol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 16:09
S35	0	"6199068.pn." and condition\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 16:25
S36	0	"6199068.pn." and predicate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 16:09
S37	0	"6199068.pn." and branch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 16:09
S38	0	"6199068.pn." and jump\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 16:09
S39	0	"6199068.pn." and (if near2 then)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 16:10
S40	0	"6199068.pn." and condition\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 16:25

EAST Search History

S41	0	"6199068.pn." and conditional	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 16:50
S42	0	"20030225811" and cobol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 16:50
S43	295710	(tags or elements or annotat\$4) same (condition\$3 or boolean or predicat\$3) and (action or function\$5 or process\$3 or behavior or procedure or method) and (relate\$6 or associat\$3 or map\$4 or group\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:11
S44	32019	(tags or elements or annotat\$4) same (condition\$3 or boolean or predicat\$3) same (action or function\$5 or process\$3 or behavior or procedure or method) same (relate\$6 or associat\$3 or map\$4 or group\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:12
S45	32864	(tags or elements or annotat\$4) same (condition\$3 or boolean or predicat\$3) same (action or function\$5 or process\$3 or behavior or procedure or method) same (relate\$6 or associat\$3 or map\$4 or group\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:11
S46	32864	(tags or elements or annotat\$4) same (condition\$3 or boolean or predicat\$3) same (action or function\$5 or process\$3 or behavior or procedure or method) same (relate\$6 or associat\$3 or map\$4 or group\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:12
S47	10925	(tags or elements or annotat\$4) near3 (condition\$3 or boolean or predicat\$3) and (condition\$3 or boolean or predicat\$3) same (action or function\$5 or process\$3 or behavior or procedure or method) same (relate\$6 or associat\$3 or map\$4 or group\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:13

EAST Search History

S48	11610	(tag\$4 or elements or annotat\$4) near3 (condition\$3 or boolean or predicat\$3) and (tag\$4 or elements or annotat\$4) near3 (action or function or functionality or process\$3 or behavior or procedure or method) and (relat\$3 or relatedness or associat\$3 or map\$4 or group\$3) near5 (action or function\$3 or functionality or process\$3 or behavior or procedure or method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:55
S49	236	(tag\$4 or elements or annotat\$4) near3 (condition\$3 or boolean or predicat\$3) and (tag\$4 or elements or annotat\$4) near3 (action or function or functionality or process\$3 or behavior or procedure or method) and (relat\$3 or relatedness or associat\$3 or map\$4 or group\$3) near5 (action or function\$3 or functionality or process\$3 or behavior or procedure or method) and (business near5 (logic or evaluat\$3 or decision))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 13:57
S50	14929	(condition\$2 near3 satisfied) same (execut\$3 or perform\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 14:04
S51	7559	("business logic" or decision or evaluat\$3) same (correspond\$3 or map\$3 or associat\$3 or related or relating) near3 (action or assign\$4 or comput\$3 or functionality or methodology)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 14:45
S52	1	("business logic" or decision or evaluat\$3) same (correspond\$3 or map\$3 or associat\$3 or related or relating) near3 (action or assign\$4 or comput\$3 or functionality or methodology) and (map\$4 or extract\$3) near3 COBOL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 14:48
S53	0	(S49 and S50 and S51) and (map\$4 or extract\$3 or associat\$3 or relate\$3 or relatedness) near3 COBOL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 14:49
S54	0	(S49 and S50 and S51) and (map\$4 or extract\$3 or associat\$3 or relate\$3 or relatedness) same COBOL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 14:49

EAST Search History

S55	81	(S49 S50 S51) and (map\$4 or extract\$3 or associat\$3 or relate\$3 or relatedness) same COBOL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 15:10
S56	463	(condition\$2 or boolean or (if near2 else)) and (map\$4 or extract\$3 or associat\$3 or relate\$3 or relatedness) same COBOL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 15:11
S57	306	(condition\$2 or boolean or (if near2 else)) and (map\$4 or extract\$3 or associat\$3 or relate\$3 or relatedness) same COBOL and (translat\$3 or transform\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 15:12
S58	303	(condition\$2 or boolean or (if near2 else)) and (map\$4 or extract\$3 or associat\$3 or relate\$3 or relatedness) same COBOL and (translat\$3 or transform\$5) and (business or logic or decision or evaluation or enterprise or work)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 15:13
S59	200	(condition\$2 or boolean or (if near2 else)) and (map\$4 or extract\$3 or associat\$3 or relate\$3 or relatedness) same COBOL and (translat\$3 or transform\$5) same (business or logic or decision or evaluation or enterprise or work)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 15:14
S60	63	(condition\$2 or boolean or (if near2 else)) and (map\$4 or extract\$3 or associat\$3 or relate\$3 or relatedness) same COBOL and cobol same (translat\$3 or transform\$5) same (business or logic or decision or evaluation or enterprise or work)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 15:14
S61	336	(business near5 logic) and (generat\$3 or creat\$3 or form\$3 or group\$3 or produc\$4) near3 handler and (event or state or status or condition\$4 or information or value or statement or tag\$4 or group\$3 or set\$4 or list\$3 or packag\$3 or identify\$3 or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:20

EAST Search History

S62	335	(business near3 logic) and (generat\$3 or creat\$3 or form\$3 or group\$3 or produc\$4) near3 handler and (event or state or status or condition\$4 or information or value or statement or tag\$4 or group\$3 or set\$4 or list\$3 or packag\$3 or identify\$3 or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:22
S63	276	(business near3 logic) and (generat\$3 or creat\$3 or form\$3 or group\$3 or produc\$4) near3 handler same (event or state or status or condition\$4 or information or value or statement or tag\$4 or group\$3 or set\$4 or list\$3 or packag\$3 or identify\$3 or identification or "event handler")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 15:18
S64	15	(business near3 logic) and (generat\$3 or creat\$3 or form\$3 or group\$3 or produc\$4) near3 handler same (event or state or status or condition\$4 or information or value or statement or tag\$4 or group\$3 or set\$4 or list\$3 or packag\$3 or identify\$3 or identification or "event handler") and cobol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:24